

The following claims are presented for examination:

1. (Currently amended) A method comprising:
 - ~~(a)~~ receiving
 - ~~(i)~~ a command from a mobile telecommunications terminal ; [,] and
 - ~~(ii)~~~~the geo-location of said mobile telecommunications terminal; and~~
 - ~~(b)~~ determining whether to execute said command based on the said geo-location of said mobile telecommunications terminal.
2. (Currently amended) The method of claim 1 wherein the determination whether to execute said command is also based on the identity of the user of said mobile telecommunications terminal.
3. (Currently amended) The method of claim 1 wherein the determination whether to execute said command is also based on the calendrical time at said mobile telecommunications terminal.
4. (Currently amended) The method of claim 1 wherein the determination ~~of~~ whether to execute said command comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.
5. (Original) The method of claim 4 wherein said perimeter is based on the nature of said command.
6. (Original) The method of claim 4 wherein said perimeter is based on an argument of said command.
7. (Original) The method of claim 4 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.
8. (Original) The method of claim 4 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on the geo-location at which said value is stored.
9. (Original) The method of claim 4 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said descriptor.
10. (Original) The method of claim 4 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said value.

11. (Original) The method of claim 4 wherein said command comprises writing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

12. (Original) The method of claim 4 wherein said command comprises transmitting a signal directed to another telecommunications terminal.

13. (Currently amended) The method of claim 1 further comprising at least one of:

~~(c)~~ determining, based on said geo-location of said mobile telecommunications terminal, whether to encode a **first** product of said command; and

~~(d)~~ determining, based on said geo-location of said mobile telecommunications terminal, whether to transmit to said mobile telecommunications terminal a **second** product of said command.

14. (Currently amended) A method comprising:

~~(a)~~ receiving **at**

~~(i)~~ ~~a request from~~ a mobile telecommunications terminal **a request** to access content **;** [,] and

~~(ii)~~ ~~the geo-location of said mobile telecommunications terminal, and~~

~~(b)~~ determining a version of said content to **access** ~~transmit to said mobile telecommunications terminal~~ based on **the said** geo-location of said mobile telecommunications terminal.

15. (Previously presented) The method of claim 14 wherein the determination of said version of said content is also based on the identity of the user of said mobile telecommunications terminal.

16. (Previously presented) The method of claim 14 wherein the determination of said version of said content is also based on the calendrical time at said mobile telecommunications terminal.

17. (Previously presented) The method of claim 14 wherein the determination of said version of said content comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

18. (Original) The method of claim 17 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

19. (Original) The method of claim 17 wherein said perimeter is based on said content.

20. (Original) The method of claim 17 wherein said perimeter is based on the geo-location at which said content is stored.

21. (Original) The method of claim 14 wherein a first version of said content is associated with a first medium, and wherein a second version of said content is associated with a second medium.

22. (Original) The method of claim 14 wherein a first version of said content is associated with a first authorization category, and wherein a second version of said content is associated with a second authorization category.

23. (Currently amended) A method comprising:

receiving at a mobile telecommunications terminal a user input for executing a remote command;

(a) transmitting **said remote command** from **said a** mobile telecommunications terminal **to a remote device a command and the geo-location of said mobile telecommunications terminal**; and

(b) receiving **at said mobile telecommunications terminal, in [a]** response to said **remote** command **, an indication of that indicates** whether said command was executed or refused **by said remote device, [;]** wherein **said indication whether said command was executed or refused** is based on **the said** geo-location of said mobile telecommunications terminal.

24. (Currently amended) The method of claim 23 **further comprising receiving a product of said remote command at said mobile telecommunications terminal when and only when the user of said mobile telecommunications terminal is authorized to execute said remote command at said geo-location.**

wherein said response:

(i) indicates that said command was executed and,

(ii) comprises a product of said command when said command is transmitted from a first geo-location, but not from a second geo-location.

25. (Currently amended) The method of claim 23 **further comprising receiving at said mobile telecommunications terminal exactly one of:**

(i) a product of said command, and

(ii) an encoded version of said product of said command

based on said geo-location of said mobile telecommunications terminal.

~~**wherein said response indicates that said command was executed and comprises:**~~

~~**(i) a product of said command when said command is transmitted from a first geo-location, and**~~

~~**(ii) an encoded version of said product of said command when said command is transmitted from a second geo-location.**~~

26. (Currently amended) The method of claim 23 wherein said **indication response** is also based on the identity of the user of said mobile telecommunications terminal.

27. (Currently amended) The method of claim 23 wherein said **indication response** is also based on the calendrical time at said mobile telecommunications terminal.

28. (Currently amended) The method of claim 23 wherein said **indication response** is based on whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

29. (Currently amended) The method of claim 28 wherein said perimeter is based on the nature of said **remote** command.

30. (Currently amended) The method of claim 28 wherein said perimeter is based on an argument of said **remote** command.

31. (Original) The method of claim 28 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

32. (Currently amended) The method of claim 28 **wherein said remote command comprises accessing a value associated with a descriptor, and** wherein said perimeter is based on the geo-location at which said value is stored.

33. (Original) The method of claim 28 wherein said command comprises accessing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

34. (Original) The method of claim 28 wherein said command comprises accessing a value associated with a descriptor, and wherein said perimeter is based on said value.

35. (Original) The method of claim 28 wherein said command comprises transmitting a signal directed to another telecommunications terminal.

36. (Currently amended) A method comprising:

~~(a)~~ transmitting from a mobile telecommunications terminal

~~(i)~~ a request to access **remote** content ; [,] and

~~(ii) the geo-location of said mobile telecommunications terminal, and~~

~~(b)~~ receiving **at said mobile telecommunications terminal** a version of said **remote** content that is based on **the said** geo-location of said mobile telecommunications terminal.

37. (Currently amended) The method of claim 36 wherein said version **of said remote content** is also based on the identity of the user of said mobile telecommunications terminal.

38. (Currently amended) The method of claim 36 wherein said version **of said remote content** is also based on the calendrical time at said mobile telecommunications terminal.

39. (Currently amended) The method of claim 36 wherein said version **of said remote content** is based on whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

40. (Original) The method of claim 39 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

41. (Original) The method of claim 39 wherein said perimeter is based on said content.

42. (Original) The method of claim 39 wherein said perimeter is based on the geo-location at which said content is stored.

43. (Original) The method of claim 36 wherein a first version of said content is associated with a first medium, and wherein a second version of said content is associated with a second medium.

44. (Original) The method of claim 36 wherein a first version of said content is associated with a first authorization category, and wherein a second version of said content is associated with a second authorization category.

45. (Currently amended) A method comprising:

~~(a)~~ receiving at a mobile telecommunications terminal
 ~~(i)~~ a command issued by the user of said mobile telecommunications terminal ; [,] and
 ~~(ii) the geo-location of said mobile telecommunications terminal, and~~
~~(b)~~ determining whether to execute said command based on the geo-location of said mobile telecommunications terminal.

46. (Currently amended) The method of claim 45 wherein the determination **whether to execute said command** is also based on the identity of the user of said mobile telecommunications terminal.

47. (Currently amended) The method of claim 45 wherein the determination **whether to execute said command** is also based on the calendrical time at said mobile telecommunications terminal.

48. (Currently amended) The method of claim 45 wherein the determination ~~of~~ whether to execute said command comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

49. (Original) The method of claim 48 wherein said perimeter is based on the nature of said command.

50. (Original) The method of claim 48 wherein said perimeter is based on an argument of said command.

51. (Original) The method of claim 48 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

52. (Currently amended) The method of claim 48 **wherein said command comprises reading a value associated with a descriptor, and** wherein said perimeter is based on the geo-location at which said value is stored.

53. (Original) The method of claim 48 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

54. (Original) The method of claim 48 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said value.

55. (Original) The method of claim 48 wherein said command comprises writing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

56. (Original) The method of claim 48 wherein said command comprises changing a setting of said mobile telecommunications terminal.

57. (Original) The method of claim 48 wherein said command comprises capturing at least one of an image and an acoustic signal.

58. (Currently amended) A method comprising:

- ~~(a)~~ receiving at a mobile telecommunications terminal
 - ~~(i)~~ a request by the user of said mobile telecommunications terminal to access content [.,] ; and
 - ~~(ii) the geo-location of said mobile telecommunications terminal, and~~
- ~~(b)~~ determining a version of said content to output based on said geo-location of said mobile telecommunications terminal.

59. (Currently amended) The method of claim 58 wherein said version **of said content** is also based on the identity of the user of said mobile telecommunications terminal.

60. (Currently amended) The method of claim 58 wherein said version **of said content** is also based on the calendrical time at said mobile telecommunications terminal.

61. (Currently amended) The method of claim 58 wherein the determination of said version **of said content** comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

62. (Original) The method of claim 58 wherein said perimeter is based on said content.

63. (Original) The method of claim 58 wherein said perimeter is based on the geo-location at which said content is stored.